

table of contents

Covert Video

- Covert Video Items
- Sun Glasses Camera
- Economy Camera Smoke Detector

Transmitters and Receivers

- 2.4GHz Pocket Video Transmitter Set

Cameras

- Color Encased Camera with Cone Pinhole Lens
- Color Board Pinhole Camera
- Black and White Board Pinhole Camera
- Miniature CCD Bullet Camera

Camera Sets

- 2.4 GHz Wireless Color Camera Set
- 1.2GHz Wireless CMOS Color Camera Set
- Spy Eye Miniature CMOS Color Camera
- Spy Eye Miniature CMOS Black and White Camera
- Black and White CCD Screw Lens and Button Lens
- Button Lens Camera Set
- Screw Lens Camera Set
- Color CMOS Button Camera
- Ultra Miniature Black and White Camera Set
- Ultra Miniature Color Camera Set
- Cyber-Eye Mobile Cam
- Infrared CCD Camera
- Weather-Proof IR Camera Sets
- Wireless Color Pencam
- Wireless Cell Phone CCD Camera
- 2.4GHz Color Camera
- CyberEye Image Camera
- Personal Digital Video Capture Camera

VCRs and DVRs

- Portable Video Media Player
- 1280-Hour Time Lapse Recorder
- 4-Channel Digital Video Recorder
- 8-Channel Digital Video Recorder
- 16-Channel Digital Video Recorder
- Home Security Video Recorder
- Motion Activated VCR
- Portable DVR Media Player

Tracking Devices

- GPS Logger with RF Transmitter and Modem
- Vehicle GPS Logging System
- Real-Time GPS Vehicle Tracking System
- Miniature Covert GPS Tracker

Digital and Analog Recorders

- Profusion Voice Pro Recorders
- Digital Recorder
- PC Recorder
- Digital Recording Cards
- 64 Hour Digital Voice Recorder
- Economy 16 Hour Digital Recorder
- Wrist Watch Media Player
- Pen Activated Recorder
- 6-Hour Micro Telephone Recorder
- Microcassette Recorder with Cellular Phone Interface
- Micro Telephone Recorder
- Deluxe 5-Hour Telephone Recorder
- Dialed Number Recorder with Caller ID
- 5-Hour Telephone Recorder
- 8-Hour Telephone Recorder
- Media Pen
- 62-Hour Rechargeable Power Pack for Digital Recorders
- Telephone Recording Interface

Telephone Cord and Line Splitter

- 2 Hand Set Adaptors for Recorders

3

Video Accessories

- TFT-LCD Color Monitors
- 4 7 Inch TFT-LCD Monitor
- 4 Quad Processor
- 4 Everlasting Rechargeable Power Pack
- 5 Shielded Power Video Cable
- 5 RCA Cable
- 5 9 Hour VHS Tape

Detection Devices

- 6 Personal RF Detector
- 6 Analog and Digital RF Detector and Frequency Counter
- 7 Counter Measures Set
- 7 Microwave Detector
- 7 Extra Sensitive Transmitter Detector
- 7 Advanced Transmitter Bug Detector
- 8 Mini Bug Detector
- 8 Hard Wired Video Camera Detector
- 8 Wireless Camera Detector
- 9 RF Signal Detector
- 9 High Frequency RF Detector
- 9 Pen RF Detector
- 10 Countersurveillance Probe/Monitor
- 11 Advanced Counter Surveillance Probe/Monitor
- 12

Listen and Voice

- Wireless Microphone Set
- 13 Surface Mic
- 13 Voice Changer II
- 14 Cell Phone Voice Changer
- 14 Professional Voice Changer
- 14 Professional Voice Transformer
- 14 Super Ear
- 15 Bionic Ear and Booster Set
- 15 Detect Ear
- 16 Audio Jammer
- 16 Tie Clip Microphone
- 17

Phone Security

- 17 Phone Manager Plus
- 18 COMSEC III Wire Tap Detector
- 18 Safe Line Telephone Analyzer & Tap Deactivator
- 19 Telephone Tap Nullifier
- 20 Tele-Data Guard
- 20 Wire Tap Detector
- 20 Advanced Wire Tap Detector
- 21

Personal Protection

- 22 Ultraviolet Spy Light Set
- 23 Ultraviolet Pen Only
- 23 Check Mate Semen Detection Kit
- 24 Spy Sunglasses
- 24 Hand-Held Personal Metal Detector
- 25 Mono Scope
- 25 Pen Scope
- 26 CyberEye Eco Alarm and Detector
- 26 TeleSpy, Portable Personal Home Alarm
- 26

cover video

We build wireless 2.4 Ghz covert video and hardwire covert video.

Below are a few examples of the most frequently requested products. Feel free to call us with your ideas. Available with color camera, **VM32C-P37C**, or black and white camera, **VM32B-P37S**. See page 4 for camera specifications. Make and model will vary according to availability.




Large Wall Clock
C1300



Alarm Clock
C1231



Cube Alarm Clock
C1230



Book
BKCAM2



Mantel Clock
C1300M



Air Purifier
C4000



Boom Box
C2200



Plant
C2000



Emergency Light
EL300



Teddy Bear
TB300



Exit Sign
EX300



Bag
C1800




9-inch Wall Clock
C1390



Pager
PA-VC



Computer Speakers
C2600



VCR
C1260



Side View
Smoke Detector
C13641



Bottom View
Smoke Detector
C3000



Counter Sign
C1500 B/W
C1501 Color



Motion Sensor
Functional or
Non-functional
C1200 or C1310

Sun Glasses Camera

Our New Wearable Sun Glasses Camera let you record what you are looking at. The hidden hard wired CCD camera built into these UV Protection sun glasses allow a 92 degree FOV. Great for those undercover applications! Available in either color or black and white.

Color Camera Specifications:

- 1/4 Color CCD Image sensor
- NTSC
- 510 x 492 pixels
- 350 resolution TV lines
- 0.2 LUX
- 3.7 mm built in lens
- DC 7-12V

Black and White Camera Specifications:

- 1/4 B/W CCD camera
- NTSC
- 400 resolution TV lines
- 0.05 LUX
- 3.1 mm built in lens
- DC 12V

Includes:

- Sun Glasses
- AV cable
- Battery pack (uses 8 AA batteries not included)

Size and Weight:

- Color: 6 x 2 x 2 3/4"
- Black and White: 6 x 2 x 2"
- 2 oz.

Model: C6000 Color Camera

Model: C6100 Black and White Camera



Economy Camera Smoke Detector

This Do It Yourself Economy Smoke Detector kit comes complete with everything you need to set up a surveillance camera system. This is perfect for home or office use. Easy to set up and use. Comes with either a color camera or black and white camera

Specifications:

- Color camera: Image Sensor 1/3 CMOS
- Color camera: Resolution 280 TV lines
- Black and White Camera: Image Sensor 1/3 CMOS
- Black and White Camera: Resolution 320 TV lines
- 9V DC power
- 60 ft cable

Includes:

- Non functional Smoke Detector Hidden Camera
- Power adapter
- 60ft Cable
- Complete instructions

Size and Weight:

- Smoke detector size: 4 1/2" x 2 3/4"
- Boxed Size: 11 1/2" x 9 1/4" x 2 1/4"
- Boxed weight: 2lbs.

Model: C1400 Color Camera Smoke Detector

Model: C1401 Black and White Camera Smoke Detector



covert video

transmitters and receivers



2.4GHz Pocket Video Transmitter Set

Our 2.4GHz Pocket Video Transmitter features 4-channel operation and is designed for body-worn applications. This pocket video transmitter set converts any wired camera (not included) to wireless for covert operations.

Specifications:

- 4-channel operation
- Auto-switch capable receiver
- Up to 300 feet LOS

Includes:

- AC Adaptor
- Video Cable
- Receiver
- Battery pack

Size and Weight:

- 3" x 2.38" x 1"
- 2 oz.

Model: PVTS-2

cameras



Color Encased Camera with Cone Pinhole Lens

This high quality miniature camera combines simplicity, versatility and high performance into a package slightly larger than a quarter. Our mini camera offers the kind of performance that is usually found only in a larger camera.

Specifications:

- 92 degree field of view
- 3.7 mm lens. (ask about different lens options)
- CCD area image sensor
- 380 line resolution
- .1 lux illumination
- Adjustable focus

Includes:

- Miniature camera
- Mounting bracket
- 24" power video pigtail

Options:

- RCA cables
- 12V regulated power adapter (Model A1055)
- Rechargeable battery pack (Model A1046)

Size and Weight:

- 1 3/16" x 1 3/16" x 5/8"
- 1 oz.

Model: C1131

B/W Encased Camera with Cone Pinhole Lens

- Specifications same as Model: C1131 except for the following
- .05 lux
- 420 line resolution

Size and Weight:

- 1" x 1" x 3/4"
- 1 oz.

Model: C1130

Color Board Pinhole Camera

Our Board Pinhole Cameras take innovative quality to the next level in covert camera technology. These miniature cameras can be hidden in almost any object and produce high quality picture performance.

Specifications:

- 92° field of view
- 3.6mm lens
- 1/3" DSP Color CCD image sensor
- 380-Line resolution
- 0.5 LUX minimum illumination
- Internal synchronizing system
- 2:1 interlaced scanning system
- DC 12V power
- NTSC

Options:

- 12V regulated power adapter (Model A1055)

Size and Weight:

- 1 1/4" x 1 1/4" x 3/8"
- 1 oz.

Model: VM32C-P37C



Black and White Board Pinhole Camera

Specifications and options same as VM32C-P37C except for the following:

- 0.05 LUX minimum illumination
- 420-Line resolution

Size and Weight:

- 1 1/4" x 1 1/4" x 3/8"
- 1 oz.

Model: VM32B-P37S

Miniature CCD Bullet Camera

The ultra small size of our CCD Bullet Camera makes it an ideal choice for outdoor use as well as home and business security. This CCD Bullet Camera produces quality images with no blooming and no burning.

Specifications:

- 92° field of view
- 3.6mm lens. Ask about different lens sizes available.
- Weatherproof standard lens
- Built-in electronic auto iris
- 380-line high resolution
- Low light sensitivity of .1 LUX

Includes:

- Bullet camera
- Swivel mounting bracket
- 24" power video pigtail

Options:

- 12V regulated power adapter (Model A1055)

Color

Size and Weight:

- 4" x 1 1/4" x 1 1/4"
- 1 lb.

Model: C13753C



Black and White

Ask about different lens sizes available.

Specifications and Options the same as Color EXCEPT the following:

- 3.5 mm lens
- 420 Line high resolution

Size and Weight:

- 2 1/2" x 3/4" x 3/4"
- 4 oz.

Model: C13753

cameras

camera sets

**2.4 GHz Wireless Color Camera Set**

Our professional 2.4 GHz wireless color camera set combines a high quality color CMOS camera with a small transmitter for outstanding performance in field operations. This set is available in 4 frequencies. FCC approved

Camera Specifications:

- One channel
- Transmission Power 10mW
- 300 feet approx LOS
- 4.5V AC adapter
- 250K (NTSC)
- 3 lux @ f 1.2
- 5.6mm / diagonal: 60 degrees lens

Camera Includes:

- 9 Volt battery clip (battery not included)
- Battery Pack (uses 4 AA batteries not included)
- AC adapter (for camera)

Receiver Specifications:

- 4 Channels 2.4 GHz
- 7.5V AC adapter

Receiver Includes:

- Video cable
- AC adapter (for receiver)
- Complete instructions

Size and Weight:

- Camera: 3/4" x 1 1/4" x 3/4"
- Receiver: 3" x 3" x 1"
- 1 lb. 3 oz.

Model: ALM-2452

**1.2GHz Wireless CMOS Color Camera Set**

This 1.2GHz Wireless CMOS Color Camera Set allows even greater surveillance versatility and puts cutting edge spy camera technology at your fingertips.

Camera Specifications:

- 1.2GHz Frequency
- 8V DC
- 380-Line Resolution Ratio
- 1.5 LUX illumination

Receiver Specifications:

- 1.2 GHz Frequency
- 115x60.21mm Resolution Ratio
- 12V AC adapter

Includes:

- Power Adaptors for camera and receiver
- 9V battery clip
- 3.25Ft. Video Cable

Size and Weight:

- Camera: 7/8" x 7/8" x 1"
- 4 oz.

Model: C1132

Spy Eye Miniature CMOS Color Camera

The versatile Spy Eye camera can be easily connected to a VCR or TV. The camera is ideal for many applications including monitoring sleeping babies, keeping an eye on a car or monitoring any area of a home. Because of its small size, the Spy Eye camera can also be hidden anywhere.

Specifications:

- 1/3" CMOS image device
- 380-Line resolution
- 1.5 LUX
- 52° field of view
- 9V DC 100mA power source

Includes:

- AC/DC power adaptor
- 9V battery adaptor CMOS only
- 33-Ft. Shielded power and video cable

Size and Weight:

- 1/2" x 1/2" x 1/2"
- 1 oz.

Model: C1129



Spy Eye Miniature CMOS Black and White Camera

Specifications same as Model C1129 except for the following:

- 320-Line resolution
- 0.05 LUX Minimum illumination

Size and Weight:

- 1/2" x 1/2" x 1/2"
- 1 oz.

Model: C1128

Black and White CCD Screw Lens and Button Lens Camera Sets

High quality miniature cameras combine simplicity, versatility, and superior performance into a package barely larger than a quarter. These are great for body-worn applications.

Specifications:

- 3.6mm lens
- 92° field of view
- Built in electronic iris
- CCD are image sensor
- 420-line resolution
- .05 LUX illumination
- Adjustable focus
- Low power consumption

Camera size:

- 1" x 1" x 3/4"

Button Lens Camera Set

Includes:

- Black and white encased camera
- A1046 12V rechargeable battery pack with adapter
- V4524 Button camera lens with 5 matching buttons

Weight:

- 2 oz.

MODEL C1146



C1146



C1147



Screw Lens Camera Set

Includes:

- Black and white encased camera
- A1055 12V AC adapter
- 12V battery pack
- V4525 Screw camera lens with 5 matching screws

Weight:

- 2 oz.

Model: C1147

camera sets

camera sets



Color CMOS Button Camera

This tiny CMOS color hardwired button camera comes with a button face or screw face and a standard lens. This hard-wired camera is only 3/4 x 3/4 x 1/4 and can be easily concealed. Run times are 10 hours with the included battery pack (batteries not included) or 4 hours with the 9 volt battery clip.

Specifications:

- 1/3 color CMOS camera
- 3 LUX
- 5.0mm lens
- 69° field of view
- 5 Volt

Includes:

- CMOS camera
- One each button-face, screw face and standard lens
- battery pack (10 hours run time)
- 9 volt battery clip (4 hours run time)
- 9 volt battery
- mounting kit with bracket

Size and Weight:

- Camera: 3/4" x 3/4" x 1/4"
- Battery pack: 2 1/2" x 2 1/2" x 3/4"
- 3 oz.

Model: C2471



Ultra Miniature Camera Sets

Our Ultra Miniature Camera Sets makes covert surveillance a cinch with their ultra small size and simple installation. These sets are great for the DIY market, everything you need is in one box.

Specifications:

- 1/3" CCD area sensor image pick up
- 0.05 LUX minimum illumination
- 92° field of view
- 420-line resolution
- Built-in electronic auto iris for automatic light compensation
- Adjustable focus
- NTSC

Includes:

- 60-Ft. cable
- AC Adaptor
- Mounting bracket

Ultra Miniature Black and White Camera Set

Size and Weight:

- 1" x 1" x 3/4"
- 1 oz.

Model: C1136

Ultra Miniature Color Camera Set

Specifications same as C1136 with the addition of the following:

- Color CCD 1/4" Format
- Low illumination of .1 LUX
- High resolution of 380 lines

Size and Weight:

- 1 3/8" x 1 3/8" x 3/4"
- 1 oz.

Model: C1138



Cyber-Eye Mobile Cam

Protect your vehicle or fleet with our CyberEye Mobil Cam. The Mobil Cam can be activated by remote control or emergency switch. It can also be automatically activated with its motion sensor. Use this camera to create still photo documentation of vandalism, theft, and altercations.

Specifications:

- Able to take and store up to 680 digital images
- View playback on home TV and monitors
- Record images on any VCR
- Displays date and time
- Able to capture images at night or in very low light
- Easy to adjust and install
- Plugs into cigarette lighter

Includes:

- Cigarette lighter
- Foot pedal

Size and Weight:

- 4 3/4" x 2 1/8" x 7/8"
- 2 oz.

Model: IC100M

Infrared CCD Camera

This high resolution color hard wired CCD camera gives you a high quality image with its powerful 48 infrared LED's. The visible distance is up to 75 feet. This camera has a built in CDS light sensor for the LED's and an electronic auto iris. It will produce a color video in the daytime and black and white at night.

Specifications:

- 420 Lines TV resolution
- 0.00001 LUX
- Power supplied by DC 12 Volt
- Lens size 3.6mm
- Image sensor 1/3 CCD

Includes:

- 12 Volt AC adapter
- Mounting bracket with screws
- Camera with removable hood & 48 IR LED's
- 65 feet of cable

Size and Weight:

- Camera with hood 5 1/2 x 3 1/2 x 3 1/4" Boxed size 7 3/4 x 5 1/4 x 3 3/4"
- Camera weight 1.5 lbs. Boxed weight 2.9 lbs.

Model: C114148 Color

Model: C114048 Black and White

Weather-Proof IR Camera Sets

This compact weather-proof Black and White Camera is designed to perform in all types of adverse weather conditions. Get a crystal clear image up to 15 feet in total darkness.

Specifications:

- 92° field of view
- 1/3" CCD area sensor image pick up
- .1 LUX minimum illumination
- 380-line resolution
- Built-in electronic auto iris
- Built-in back light compensation
- 11 LEDs
- NTSC

Includes:

- 60-Ft. cable
- AC Adaptor
- Mounting Bracket

Size and Weight:

- 3 1/8" x 2" x 2", C1140: 1 1/4 lbs., C1141: 1 1/2 lbs.

Model: C1140

Model: C1141

Specifications same as C1140 EXCEPT the following: 1/4 CCD area sensor image pick up, 330 line resolution, 0.0 lux, Color during daylight hours, Black and White after dark.



camera sets

camera sets

**Wireless Color Pencam**

This Wireless Color Pencam is perfect for undercover work and discreet surveillance. We have concealed a quality 4-channel color video camera inside a working pen that can be worn in a shirt pocket, placed in a desk organizer or wherever its presence would not be obvious.

Specifications:

- Ultra compact design
- 2.4GHz 4-channel wireless transmitter
- Up to 180-ft. line of site transmission range
- FCC compliant
- 64° field of view
- Minimal illumination required
- Simple operation with a click of the top of the pen
- Receiver connects to TV, VCR or security monitor

Includes:

- 3 LR 44 Battery Sets that last for up to 40 minutes
- AV Receiver
- 12V AC adaptor
- RCA video cable

Size and Weight:

- Camera: 5 1/2" x 1/2" 1/2"
- Receiver: 150x88x40mm
- 1 oz.

Model: V1025

**Wireless Cell Phone CCD Camera**

This everyday looking stylish Flip Style cell phone has a high quality CCD camera built inside allowing it to blend in any surroundings perfectly. This features a 2.4GHz wireless system with color CCD camera.

Specifications:

- Wireless 2.4GHz
- Sony 1/4 DSP color CCD sensor camera
- 380 TV lines 32,000pixels, 0.5Lux, F1.2
- Built in 4.3mm pinhole lens
- Auto Electronic shutter
- 1 channel video transmitter and receiver
- NTSC
- Transmitter range 100 feet or above
- Battery time 120 to 150 minutes

Includes:

- Cellular Phone Camera
- Receiver
- AC adapter for receiver
- Rechargeable battery
- Battery cradle charger

Size and Weight:

- 3 1/4" x 2 3/4" x 1"
- 1 oz.

Model: C1127

2.4GHz Color Camera with Built In Rechargeable Battery

Our 4 channel wireless color 2.4 GHz camera set is suitable for monitoring almost any location, home or office. With wireless transmitting this device is small in size light weight and has a low power consumption. Highly sensitive, easy installation and operation. With the built in rechargeable battery you will last up to 5 hours of continuous use.

Specifications:

- 2.4 GHz 4 channel selectable
- 1/3 CMOS
- 62 degree field of view
- 380 TV lines resolution
- 1.5 lux
- Automatic gain control
- FCC approved
- 300 feet LOS

Includes:

- Camera
- Receiver with antenna
- 12 Volt adapter
- 8 Volt adapter/charger
- A/V Cable adapters
- Complete instructions

Size and Weight:

- Camera 3/4 x 2 1/2 x 3/4"
- Receiver 3 x 3 1/2 x 3/4"
- 1 lb. 4 oz.

Model: C5100



camera sets

camera sets

**CyberEye Image Camera**

Our CyberEye Image Camera is the perfect digital camera security system for surveillance of homes, stores, banks, offices or anywhere that risks intrusion. The CyberEye features infrared technology that can capture images at night.

Specifications:

- Holds 680 images
- 1/4" CMOS B/W image sensor
- 0.5 LUX minimum illumination
- 8mm lens
- Pictures can be transferred to VHS tape
- Infrared capability
- 9V300mA power supply
- Year/month/day/hour/minute time display
- TV/Monitor image checking
- Remote control with emergency button

Includes:

- AC adaptor
- Video cable
- Mounting screws and anchors

Size and Weight:

- 3" x 2 1/4" x 3"
- 2 oz.

Model: IC-100A

**Personal Digital Video Capture Camera**

This battery operated Home Guard Personal Digital Video Capture Camera has 64 MB ram for fast action snapshots when motion is detected. Simply place the unit in a desired location and turn it on. It is capable of capturing more than 8000 frames. Simple and discrete to use this item is perfect for home, office or anywhere you need personal protection.

Specifications:

- 1/4" Color CMOS Camera with 64Mb Flash RAM
- 90 Degree FOV
- Covert 3.7mm Pinhole Lens
- 0.80 LUX
- 640x480 or 320x240 Recording Modes
- High/Medium/Standard Recording Quality
- Selectable Motion Detection Sensitivity
- Record speed range from 1 frame every 10 seconds or as fast as 15 frames per second @320x240
- Records up to 8000 frames in 320x240 standard mode, or 2000+ frames in 640x480 HQ mode
- Time and Date Stamp
- Searchable Play-Back
- Playback via TV
- Uses four AA batteries (6 hour battery life) or may be powered via included AC wall adapter
- PAL or NTSC ready

Includes:

- Home Guard Capture Camera
- AC Adapter
- Swivel Mount
- Video cable
- Users manual

Size and Weight:

- Unit: 3 3/4" x 2 1/2" x 1 1/4", Boxed: 7 3/4" x 4 3/4" x 3"
- Unit: .3 lbs., Boxed: 1.4 lbs.

Model: IC9102 64MB

Model: IC91128 128 MB NEW

Records up to 16000 frames

VCR's and DVR's

Portable Video Media Player

This small compact media player has 128MB of built in memory and a SD slot for expansion. Small in size with the built in 2.5 inch TFT color screen make this item perfect for body worn applications. You can download voice, video, songs and pictures in this tiny player. USB computer connection and RCA in/out make this versatile miniature video recorder a must have for today's technology with crystal clear play back and exceptional color. Also available with a built in digital camera for capturing still pictures and video.

Specifications:

- 2.5 TFT Color Screen
- 2M pixels CMOS color
- AV input / output
- 128 Mb built in memory, 35 minute record time
- SD/MM card slot supports up to 1GB and up to 5 hours recording time
- USB connection
- Rechargeable battery (3 hours)
- JPG picture format
- Built in speaker and microphone

Includes:

- Portable media player
- USB cable
- Ear buds
- RCA in / out cables
- Extra rechargeable battery
- External battery charger
- AC adapter
- Hand strap
- Carry case
- Software

Size and Weight:

- 2 3/4" x 4"
- 5 ozs., Boxed weight: 1 lb. 4 ozs.

Model: DVR102

Model: DVR548 with built in Digital Camera



DVR 102 Front



DVR 548 Front

1280-Hour Time Lapse Recorder

with Digital Shuttle and 40-Hour Real Time Video

Our easy-to-use 1280-Hour Time Lapse Recorder offers reliability in an affordable price range. This recorder has the capability to record 40 hours of real time video and up to 1280 hours of time lapse video. Convenient features are the Built-in Time Date generator and 14 recording options.

Specifications:

- Event and alarm inputs
- Digital shuttle and reverse play
- Built-in rechargeable battery backup
- Record lock to prevent unauthorized operation
- Daily programmable timer
- Compatibility with observation systems
- Remote Control Included

Size and Weight:

- 14 1/8" x 11 1/2" x 3 3/8", 8 lbs 6 oz.

Model: V1180



VCR's and DVR's



Digital Video Recorders

Our stand alone Digital Video Recorders feature Internet viewing and 4, 8, or 16-channel operation. It has new features and a new price. This digital video recorder gives the user the ability to record and watch from any computer around the world without using a computer based DVR. Built in CD-RW and 120 GB hard drive included to feature a total system.

Specifications:

- Motion activated
- Embedded stand alone platform
- Net function TCP / IP supported
- 4, 8, or 16-Channel video signal input 1.0-v-pp, 75 ohm unbalanced (BNC type)
- 480-Line horizontal resolution
- Full, quad screen, Zoom PIP (picture in picture) sequence
- 720Hx480V Active pixel full screen quality
- 360Hx240V Active pixel 1/4 screen
- 60 FPS Top record or play speed
- JPEG video compression
- Real-Time / Event / Motion detection
- IR Remote control
- Alarm inputs / relay output
- DC 12V, 4A power
- 1 internal hard drive slot
- Play back Time & Date, event search and percentage
- Recording speed of 60 fields per second
- 16.7 million pixels color
- Pan, Tilt, Zoom camera control
- Ethernet port, RS232, RS 485
- Remote access client software

Size and Weight:

- 17" x 13" x 2"
- 17 lbs. 3 oz.

4-Channel Digital Video Recorder

Model: DVR4

8-Channel Digital Video Recorder

Model: DVR8

16-Channel Digital Video Recorder

Model: DVR16



Home Security Video Recorder

This motion activated Home Security Video Recorder has built in time and date stamp and is the most economical way to capture video for personal or business use. The 16MB of built in memory can record 150 seconds (thirty-two 5 second clips) or memory can be added in the external SD slot. Unlimited expansion capability, for example 512MB for 1 hour and 20 minutes recording time. Built in AV in/out is perfect for the DIY. Works with wireless and hard wired video

Specifications:

- CCTV camera compatible
- Video output standard composite video format
- Built in motion detection
- Memory expansion slot for secure digital card
- LED indicators
- 12V power consumption
- Records Real time in 5 or 10 seconds clips
- Built in view finder functions allows video clip search easily and quickly
- Status indicators front and side LED
- NTSC or PAL
- Time & Date Stamp

Includes:

- Home Security Video Recorder Unit
- AC adapter
- Video Cable
- Complete instructions

Size and Weight:

- 8 1/4 x 6 x 1 1/2"
- 7 oz.

Model: DVR150

VCR's and DVR's

Motion Activated VCR

We use state of the art VMD technology to transform a typical VCR into a motion activated VCR. When motion is detected through the video signal our Motion Activated VCR starts recording, if motion ceases for 2.5 minutes the VCR will go to stop mode. Please note that make, model and style may vary depending upon availability.

Specifications:

- May be used with multi-channel video switchers or video multiplexer
- Filters out video noise to minimize false alarms and maximize correct detection
- Automatically adjusts to the video signal levels (from 0.5V/PP to 2.0V/PP)
- Complex algorithm minimizes false alarms resulting in slow or fast changes in ambient light.

Includes:


- 9 hour VCR tape
- Remote control
- User manual

Size and Weight:

- 14 1/2" x 9 1/4" x 4 5/8"
- 6 lbs.

Model: V1160

Model: V1160TD includes Time Date Stamp



Portable DVR Media Player

This Portable DVR has a removable 40 GB hard drive for 80 hours of recording and secure digital slot for additional memory. This recorder is perfect for body worn or covert application. This versatile unit records video, images, voice and MP3's for endless application and uses.

Specifications:

- RCA 3 in 1 for AV input/out
- Built in microphone
- Built in stereo speaker
- 3.5 inch LCD with back lighted LED panel 480 x 234
- Secure Digital memory card expansion slot
- MPEG-4 digital video player and recorder
- Video size 320 x 240 pixels
- Software, MP3 Real Media Player
- USB 2.0 SD card reader / portable disk
- 12V DC
- 7.6V 1800 mAh rechargeable Li-ion battery
- 3 hours in video playback
- Extra hard drives can be purchased at your local media store

Includes:

- Portable media unit with built in prop up stand
- AC/DC adapter
- Lithium-ion battery
- USB cable
- Stereo earphones
- IR Remote control
- 2 AV cables
- Carrying case
- CD Rom
- Users Manual

Options:

- Extra Battery Model A1050 (sold separately)
- Optional Camera Model DVR3CAM (sold separately)

Size and Weight:

- Unit: 5" x 2 3/4" x 1"
- Unit: .6 oz.

Model: DVR390



Optional Camera
Model: DVR3CAM

tracking systems



GPS Logger with RF Transmitter and Modem

The RF vehicle logging system uses the latest satellite technology available for a GPS tracking system. The device can be used for tracking the history of one car or a fleet of vehicles logging up to 30 days. The tracking device is enclosed in a weatherproof case for under vehicle installations and is powered by 4 AA batteries. It has advanced motion detection circuitry that shuts the unit down when the vehicle is stationary for longer than 5 minutes, therefore saving valuable battery power and has an RF transmitter so you can transfer the logged data from the GPS system to your PC remotely from up to 1000 feet away.

Specifications:

- Non-volatile Flash Memory, retains all the logged data even with expired batteries
- Low priced unit - no monthly fees
- Logs contain vehicle tracking data of up to 30 days
- Stores over 12,000 positions in memory
- Completely self contained
- 12 channel parallel GPS receiver
- Downloads to mapping software (U.S. maps included)
- Maps for Canada, Europe, and Latin America available upon request
- Compatible with Route 66 Route Planning software
- Software displays vehicle location, speed, heading, lat/lon and time at remote location
- Covert unit operates on 4 C-cell batteries, fleet unit operates off vehicle's 12-volt power
- Small size: 3" x 5" x 1.5"
- Water resistant case
- Built-in motion detector for battery conservation
- Adjustable data rate: 10, 20, 30, or 60 second data capture interval
- Data capture rate can be changed remotely via the RF interface
- Heavy duty magnet mounting, easily concealed under the vehicle
- Mapping software compatible with Microsoft Windows 98/2000/ME/XP

Includes:

- One Pro Scout Commercial Quality GPS vehicle tracking device
- One GPS Antenna
- One Base RF Modem
- One Complete Software CD Including U.S. Mapping
- One Set Industrial AA Batteries
- Integrated Motion Detection Circuit
- Waterproof Housing
- One Heavy Duty Magnet Mount For Under Vehicle Mounting

Size and Weight:

- 3" x 5" x 1.5", 4 lbs.

Model: H4000RFC Covert Model

Model: H4000RFF Fleet Model



Vehicle GPS Logging System

When suspicions arise about the activity of a vehicle, make sure one of our Vehicle GPS Logging units goes along for the ride. This Vehicle Logging System can track a vehicle to the nearest address, tell how long the vehicle remained at any given destination, and provide details of suspicious activities.

Specifications:

- Includes flash memory
- Discreet water resistant case
- Motion detector start-up and shut down
- Quick installation with industrial magnetic mount
- Uses precision mapping of entire U.S.
- Vehicle location is saved every 10, 20, 30 or 60 seconds
- Downloads data to computer via serial port
- Custom mileage report
- Up to 18-day operation on internal AA batteries (included)

Includes:

- Mapping software on CD
- Serial cable
- GPS puck antenna


Options:

- Maps of Canada and Europe available at additional charge.

Size and Weight:

- 5 1/2" x 3 1/8" x 2 1/4"
- 1 lb. 2 oz.

Model: H4000




tracking systems

Real-Time GPS Vehicle Tracking System

From a personal computer, keep track of the real-time path of a vehicle with our GPS Vehicle Tracking System. This real-time global positioning system (GPS), which permits live tracking using a map on a personal computer, will leave no doubt of the location of employees, spouse, or critical cargo. Available with a fleet management option.

Specifications:

- True real-time tracking
- CDMA and PCS digital cellular
- Communication with any PC and modem
- 3700 position storage memory
- Adjustable capture rates of 1,2,3 or 5 minutes
- Software that maintains database on vehicle activity
- Internal motion detector for low power use
- Alarm input for panic and security
- Alarm output for remote control
- Uses 8 C batteries that last 7 to 10 days
- Quick installation with industrial magnetic mount



Includes:

- Vehicle Unit Transmitter with water resistant case
- Serial port cable
- Software package with U.S. maps on CD-ROM
- Cell Antenna and GPS Puck Antenna
- Battery Pack
- Direct connect for 12 volt

Options:

- Maps of Canada available at additional charge
- Route 66 mapping software

Size and Weight of Vehicle Unit:

- 6 1/2" x 4 1/2" x 2"
- 1 lb. 4 oz.

Model: GPS Digital

Miniature Covert GPS Tracker

This GPRS based GPS tracking system operates up to 120 days on internal AA batteries and is easy to deploy. Two units available one with internal antenna and one with external antenna and magnet mounting capabilities both using a powerful software package for faster downloads. Our tracker has built in Flash memory so that you never lose your data. GPS, Stronger case, Better battery life, Better communication, Lower usage cost, On board data logging (flash memory) and has more choices of intervals.

Specifications:

- 16 Channel GPS
- 256 correlators
- -139dBm sensitivity
- 6 AA alkaline batteries
- Up to 120 days on battery based on 10 reports a day
- 2000 position on board memory
- Flash memory that will record when cellular service is poor or lost
- Data transmission Intervals:
- Timed 1 to 24 hours
- Motion activated 2 or 5 minutes
- Hourly reports during stops
- 1 input
- 1 out put
- Monthly service plan needed
- ATT/Cingular for US and Canada coverage

Includes:

- Integrated GPS and cellular antennas
- Mapping software

Size and Weight:

- 7" x 3 1/2" x 1 1/2", 8 ozs.
- GPS100: 8 oz., GPS100EA: 1 lb. 1oz.

Model: GPS100



Model: GPS100EA Miniature Covert GPS Tracker with External Antenna

digital/analog recorders



Profusion Voice Pro Recorders

Our New line of digital recorders are the cutting edge weighing in at only 2 ounces! Packed in this tiny recorder is a high capacity memory for voice operated recording. 4 folders with 99 files in each, and features recovery support for erased files. Variable clock and LCD functions. Hearing aid function.

Features:

- Ultra small super light weight voice recorder
- High quality recording mode
- 16kHz sampling frequency
- Selection repeat function
- Fast file search functions intro scan, VOR voice operated recording
- Recording date and time display
- Recovery for erased files
- Three way power supply battery, USB & DC

Specifications:

- Recording mode, built in flash memory
- Display 3 line LCD/LED backlight
- PC interface USB
- Power supply 2AA batteries
- Power options
- USB, 2 AAA batteries, DC power
- Battery life approximately 20 hours
- Out put earphone or speaker
- In put built in microphone
- Sampling frequency SP, LP, HQ
- Max number of files 99 files in 4 folders

Includes:

- Profusion recorder
- Stereo earphone
- USB cable
- Voice manager Pro installation CD
- 2 AAA batteries
- Users manual and Warranty card
- Audio cable
- Telephone recording adapter
- Telephone cord
- External microphone
- Hand strap
- DC adapter
- Cell phone adapter

Size and Weight:

- 3 1/4" x 1 1/4" x 1/2"
- 2 ozs.

Model: DR1065


65 hour recorder

Model: DR1130

130 hour recorder

It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

All Digital Recorders come with these accessories unless otherwise marked



Digital Recorder

Our DR5100 series features the smallest size and largest capacity of any voice recorder on the market today! Each model has a different recording time making them flexible for any need. Each recorder also features a 2 mode automatic recording system; A mode is continuous recording, B mode has 8 folders and 128 files with automatic file advance. With plenty of features packed into one tiny device our Digital Recorders are perfect for any application. (Color may vary)

Features:

- DOT matrix LCD with blue backlight
- Automatic microphone sensitivity
- MP3/WMA player with built in 5 band equalizer, bass and treble control
- FM stereo radio, recording and encoding FM broadcasting, 10 frequencies preset
- Pause and resume in recording

Specifications:

- Recording modes, SHQ/HQ/SP
- Recording indicator with red LED
- Play back speed control (slow/normal/fast)
- Variable play modes, repeat/continue/scan/search/alarm play
- Timer recorder up to 3 programs by date, weekly and daily
- 5 EQ modes: normal/classic/live/pop/rock/ and user EQ/resume
- USB mass storage
- Plug and play (easy drag and drop files)
- Clock
- PC interface
- Built in speaker: 80mW at max volume
- AC/DC adapter
- Uses 2 AAA batteries (included)
- Batteries last up to 14 hours in record and playback via speaker and 22 hours via earphone playback

Includes:

- Digital recorder
- Telephone recording connector
- Cell phone recording connector
- Lapel microphone
- Stereo earphones
- USB connector cable
- Clear protective carry case
- Operation manual
- 2 AAA batteries

Size and Weight:

- 3 3/8" x 1 1/4" x 1/2"
- 2 oz.

Model: DR51064

64MB
17 Hour Recorder

Model: DR51128

128MB
35 Hour Recorder

Model: DR51256

256MB
70 Hour Recorder

Model: DR51512

512MB
140 Hour Recorder

Model: DR5100

1GB
282 Hour Recorder



It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

digital/analog recorders

digital/analog recorders



PC Recorder

Now you can record your telephone calls to your computer using our new PC Recorder. After loading the software on your computer and plugging your phone into the PC Recorder's dual outlet simply plug the PC Recorders audio cable into the MIC "IN" on the sound card jack on the computer follow the directions on the software and begin recording. It's that simple. The software allows you to save and replay calls.

Specifications:

- Requires sound card on PC
- Works only on single line phones
- Portable


Includes:

- PC Recorder
- Phone cord
- Instructions
- Software

Size and Weight:

- 1 1/2" x 2 1/4"
- 1 oz.

Model: PC001



Digital Recording Cards

Recording has never been easier then with our new phone recording technology. No need to have bulky recorders, or phone interceptor equipment. Simply purchase the minutes that are right for you. Simply use the card's instructions to automatically forward your calls through our state of the art telecommunication switch. Your important conversations will be stored in a safe digital format that only you can access and/or retrieve with your very own PIN (Personal Identification Number). This item is credit card size and can be carried in wallet, purse or pocket.

Specifications:

- Records inbound and outbound calls
- Available in 250 minutes or 500 Minutes
- Recordings secured with encryption key

Includes:

- Card
- Complete instructions

Size and Weight:

- 3 1/4" x 2 1/8" (credit card size)
- 1 oz.

Model:

DRC-250 250 minutes

DRC-500 500 minutes



64 Hour Digital Voice Recorder

This voice activated recorder features extra long recording time and stores up to 495 messages. It also features Text to Speech Software and an external memory card slot for expansion. With variable playback speed, time and date stamp and variable microphone sensitivity, our 64 Hour Digital Voice Recorder is the choice for uninterrupted recording.

Includes:

- 128MB Digital Voice Recorder with MMC/SD slot
- 2 AAA batteries
- AC Adapter
- Earphone
- Cell Phone Adapter
- Telephone Connectors
- USB connector cord
- External Microphone
- CD

Size and Weight:

- 4 1/2" x 1 5/8" x 3/4"
- 1 oz.

Model: DR-64

It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

Economy 16 Hour Digital Recorder

This ultra small, economical, light weight recorder will record up to 16 hours of clear voice recording the PC interface is an USB connection for fast data transfer and has the ability to use D/C power (optional) includes all the accessories you need for great recordings, when your customer needs a low cost high quality recorder this unit is the prefect choice.

Specifications:

- Voice operated recording
- MIC sensitivity choice
- Telephone recording function
- Automatic power off function
- 3 recording modes
- Display remained recording time
- 396 files (99 files / 4 folders)
- Play and speed control function
- Built in flash memory
- LCD display
- USB
- Power supply 2AAA batteries
- Approximately 12 hours of playback and recording

Includes:

- Digital recorder
- Stereo Earphone
- USB cable
- Voice manager Pro Installation CD
- 2 AAA batteries
- Users Manual
- Audio cable
- Telephone recording adapter
- Telephone cord
- External microphone
- Hand strap

Options:

- AC Adaptor Model: A1056

Size and Weight:

- Recorder 3 1/2" x 1 1/4" x 1/2"
- Boxed 6 1/4" x 6" x 1 3/4"
- 1 oz.

Model: DR16

Wrist Watch Media Player

This handsome fully functional watch is also a media player with 256MB flash memory built in. This unique recorder will allow you to record up to 9 hours of voice recording and download MP3's music files. Now you can record notes, reminders or listen to music without any other devices. USB plug and play make this the media player perfect for any situation in which audio recording is required. Play back via stereo earphones or window media player.

Specifications:

- 256 MB flash memory
- Recording time 9 hours
- 9 hours of battery life when fully charged
- USB port for play back and charging
- Internal rechargeable battery
- USB
- MP3 compression
- Operating system windows98/ME/NT/2000/XP or above

Includes:

- Wrist watch media player
- Stereo earphones
- AC adaptor
- USB cable
- Power supply adapter
- Instructions / Users manual

Size and Weight:

- 1 3/4" x 3/4"
- 5.7 ozs.

Model: MP1700



It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

digital/analog recorders

digital/analog recorders



Pen Activated Recorder

The perfect recorder in an inconspicuous manner. The Pen Recorder automatically begins recording when you remove the pen and stops upon replacement. An ultra-sensitive microphone allows recording from the inside pocket of your jacket. Two-speed technology produces 3 hours of recording per 90-minute cassette. Voice control eliminates silent periods.

Features:

- Pen activation
- Compact size
- Voice controlled recording
- Two-speed recording
- External microphone jack
- External headphone jack
- Tape Counter

Specifications:

- Tape speeds of 1.2 sec., 2.4 cm/sec.
- 3VDC power
- Uses 2 AA batteries (not included)

Size and Weight:

- 6" x 3" x 1"
- 4 oz.

Model: P5046



6-Hour Micro Telephone Recorder

Use our cutting edge 6-Hour Micro Telephone Recorder to record everything that was said in a phone conversation so that important information won't be forgotten. This versatile recorder can also be used for meeting, conference calls and as a transcriber. Comes with all the accessories needed to hook up to a telephone line.

Specifications:

- Up to 6 hours of recording time on a 90 minute micro cassette tape
- Voice activated
- Flexible interfacing for connection to a variety of single line phone systems
- Built-in microphone
- Extended recording mode
- Compact design for easy carrying

Includes:

- Duplex telephone adaptor
- Telephone connection cable
- Three standard microcassettes
- User guide
- Two AA batteries

Size and Weight:

- 4 3/4" x 2 1/2" x 1"
- 3 oz.

Model: RN405

Microcassette Recorder with Cellular Phone Interface

This Microcassette Recorder features a universal cellular interface so that cellular phone conversations can be easily recorded as well as conventional telephone conversations.

Specifications:

- mobile phone recording
- Built-in microphone for memo tape recording
- Normal and slow tape speeds
- Call monitor feature
- Speaker volume control
- Auto stop
- Pause function
- 2 AA battery operation, batteries not included
- 3V DC Adaptor Jack
- Voice activated


Includes:

- Cellular Adaptor
- Hand-free ear rest
- T-adaptor
- Blank MC-60 tape

Size and Weight:

- 5" x 2 5/8" x 1"
- 3 oz.

Model: P5040



Micro Telephone Recorder

The Micro Telephone Recorder captures both sides of your telephone conversation with clarity. A built in telephone interface eliminates cumbersome external boxes. Voice activation starts recording when the phone is in use and stops when the call is completed, also eliminating silent periods. Two-speed circuitry produces 3 hours of recording time per 90-minute standard micro-cassette.

Features:

- One step connection
- Built in telephone interface
- Voice activated recording
- Two-speed record and playback
- Built in microphone
- Tape counter
- Fully portable

Specifications:

- Tape speeds of 1.2 cm/sec., 2.4 cm/sec.
- 3V DC power
- Uses 2AA batteries (not included)

Size and Weight:

- 4 7/8" x 2 3/8" x 1"
- 4 oz.

Model: P5045



It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

digital/analog recorders

digital/analog recorders



Deluxe 5-Hour Telephone Recorder

The P5090 features caller ID name and number as well as time and date are displayed on a built in LCD. Information is also stored on the cassette ensuring recordings are always as organized as they are accurate. Slow speed permits over 5 hours of recording on a standard C-120 cassette. Choose from four record modes: line activated, voice controlled, timed or manual. Capable of recording both inbound and/or outbound conversations.

Features:

- Easy to install
- Caller ID with name
- Works on multi-line phones
- Auto level control LCD display
- Stores time, date, incoming and outgoing number
- Over 5 hours recording time
- Voice activated

Specifications:

- Tape speeds of 4.8 cm/sec., for 5 recording hours, to 1.7 cm/sec., for 2 recording hours
- 6V DC power
- Uses 4 AA alkaline batteries (not included)

Size and Weight:

- 8 3/4" x 5 3/8" x 2 1/4"
- 1 lb. 8 oz.

Model: P5090



Dialed Number Recorder with Caller ID

Our Dialed Number Recorder features 5-hour recording capability and Caller ID all in one system. This easy-to-use plug and play unit clearly records both sides of a telephone conversation and captures and displays all dialed telephone numbers.

Specifications:

- 2-Way conversation recorder
- Speed control for extending tape recording time by double duration
- Automatic recording for recording only when phone is in use
- Built-in 2-line LCD
- Built-in voice activation (VOX) that works with any kind of key phones or EKTS system
- Time and date for incoming and outgoing dialed numbers
- Works with standard telephone, EPABX or PBX that has 36V or 24V system
- Voice control mode eliminates silent intervals to maximize recording time
- New data indication
- Powered by 6V AC adapter or 4 AA batteries (included)

Includes:

- AC adaptor
- Cassette tape
- Handset adapter
- Phone cord

Size and Weight:

- 8 1/2" x 5 5/8" x 2 1/8"
- 1 lb. 5 oz.

Model: GT-TR

5-Hour Telephone Recorder

Get high quality recordings with our 5-Hour Telephone Recorder. This recorder features easy-to-use plug and play operation.

Specifications:

- Speed control for extending tape recording time from 60 to 120 minutes
- Voice activated recording
- Sensitive line mode
- Auto level control
- Tape speeds of 4.8cm/second and 1.7cm/second
- Normal cassette player
- Monitor
- Built-in ear jack
- 6V DC power


Includes:

- A/C adaptor
- 4 AA batteries
- Phone cord
- Cassette tape

Size and Weight:

- 7 3/4" x 5 1/8" x 2"
- 1 lb. 1 oz.

Model: TR-600



8-Hour Telephone Recorder

Over 8 hours of telephone conversation can be captured on a standard C-120 cassette with the same crystal clear clarity offered on five-hour models. Compatible with single and multi line phone systems, the P5085 is a perfect fit in any office or home. Equipped with an automatic level controller. It's able to compensate for bad connections.

Features:

- Two speed recording
- Easy connection
- Multi line capacity
- Auto level control
- Voice activation
- Monitor while recording
- 8 hours recording time

Specifications:

- Tape speeds of 4.8 sec., 1.2 cm/sec.
- 6VDC power
- Uses 4 AA batteries (not included)

Size and Weight:

- 8 5/8" x 5 3/8" x 2 1/4"
- 1 lb. 5 oz.

Model: P5085



Media Pen

The digital Media Pen boasts 128 MB of memory. This versatile product will record up to eight hours of voice recording, be a portable USB hard drive and MP3 player all in one small device. Use the Media Pen for meetings, lectures, important document transfer or for your music pleasure. Listen to play back with earphones or attach to your computer via the USB connection. It's also a Key Chain!

Specifications:

- Internal rechargeable battery (charge through USB port)
- 128 MB internal memory
- Reset button

Includes:

- Digital pen recorder & MP3 player
- Earphones
- Key chain attachment
- 2 extra pen refills
- Mini CD program disk

Size and Weight:

- 5 1/2 x 1/2
- 1 oz.

Model: DP4802



It is the user's responsibility to insure that conversations are only recorded in accordance with the law of the jurisdiction where the equipment is utilized.

digital/analog recorders

digital/analog recorders



62-Hour Rechargeable Power Pack for Digital Recorders

We have the solution for those who need more battery power, our new 62-Hour Rechargeable Power Pack. This power pack is designed specifically for Miniature Digital Recorder models DR-22, DR-45 and DR-90.

Specifications:

- 2 1/2 to 3-hour maximum charge time
- Rechargeable NiMH battery type

Size and Weight:

- 5 1/4" x 6/8" 6/8"
- 1 lb.

Model: A1048



Telephone Recording Interface

This Telephone Recording Interface makes any recorder into a telephone recording device. Adapts to single line or multi line telephones. It is compatible with all modular type telephones.


Specifications:

- For 3.5mm mic inputs
- Records both ends of a conversation
- Easy-to-use plug-in design
- Can be used with any mini, micro or "C" cassette recorder, or digital recorder with mic input

Size and Weight:

- 38" long x 3/4" x 1 1/4"
- 1 oz.

Model: TRX-20



Telephone Cord and Line Splitter

Converts any voice activated (VOX) recorder into a telephone recorder with line splitter. Connects directly into a wall jack. Use with V1125 to connect to handset for multi-line phones.

Size and Weight:

- 6 1/2 feet long
- 1 oz.

Model: CTRD



Hand Set Adaptors for Recorders

Convert any single line recorder into multi line recorder with our Hand Set Adaptors. This is a great accessory for our digital recorders.

Size and Weight:

- 6" long
- 1 oz.

Model: V1125

TFT-LCD Color Monitors

Monitor the situation comfortably and easily with our TFT-LCD Monitor. Available in convenient 5.6-inch and handy 3-inch sizes, this TFT-LCD monitor provides high resolution viewing for a variety of security needs.

Features:

- High Resolution
- No Radiation
- DVD/VCD/ Security System/ Navigation System compatibility (TFT5.6 only)
- Built-in speaker (TFT3 only)

Includes:

- AV cable
- AC adaptor
- User's Manual

Size and Weight:

- 3 1/2" x 3 1/4" x 1 1/2"
- 3 oz.

Model: TFT3



7 Inch TFT-LCD Monitor

Our new 7 inch TFT-LCD monitors have a built in speaker, volume, brightness, contrast and color adjustments. Perfect for any covert operations.

Specifications:

- Display screen TFT 177mm (7.0") 336960 pixels
- Chromatic system PAL 4.43: NTSC 3.58
- Audio input 100mW
- Video input 1V p-p Impedance 75
- Input voltage DC 11-13V
- Power consumption 9.5W

Includes:

- A/V input cord / RCA
- AC adapter
- Car power cord
- Automotive bracket
- Operational manual
- Remote control

Size and Weight:

- 7 3/4" x 4 3/4" x 1 3/4"
- 1 lb. 4 oz.

Model: TFT7



Quad Processor

Our 4-Channel Quad Processor features a user friendly front panel design and accepts up to 4 camera inputs.

Specifications:

- Full quad display at real time refresh rate
- High resolution picture
- 2 video BNC outputs in full screen or quad screen
- Video signal loss detection
- Power consumption of 5W max
- 4 channel BNC input

Includes

- AC adapter

Size and Weight:

- 8 5/8" x 8 1/2" x 2"
- 2 lbs. 7 oz.

Black and white Quad Processor

Model: C19003

Color Quad Processor

Model: QUADC



video accessories

video accessories



Everlasting Rechargeable Power Pack

Extend mission times with our Everlasting Nickel Metal Hydride Battery Packs. Each one includes a charger.

Specifications:

- Standard "M" connector that integrates with most cameras and wireless transmitters
- Coiled Connection Cable for versatility
- Nickel Metal Hydride (NiMH) technology that permits higher current draw
- Compact design

6-Volt Power Pack Model: A1044

Size and Weight: 2 7/8" x 2" x 3/4", 9 oz.

9-Volt Power Pack Model: A1045

Size and Weight: 4" x 2 1/4" x 3/4", 1 lb. 1 oz.

12-Volt Power Pack Model: A1046

Size and Weight: 4" x 2 3/4" x 3/4", 1 lb. 3 oz.



Shielded Power Video Cable

25Ft. Cable, 6 oz.

Model: V1008

65Ft. Cable, 1 lb. 2 oz.

Model: V1018

100Ft. Cable, 1 lb. 9 oz.

Model: V1030

150Ft. Cable, 2 lbs. 8 oz.

Model: V1048

200Ft. Cable, 3 lbs. 7 oz.

Model: V1062

RCA Cable

25Ft. Cable, 2 oz.

Model: 25FT



9 Hour VHS Tape

Size and Weight:

- 7 5/8" x 4 1/8" x 1"
- 5 oz.

Model: T-180

Personal RF Detector

Our pocket size personal radio frequency detector locates stuck transmitters or bugging devices in a room or automobile. This personal RF detector excels at silent detecting of RF signals for RF security and counter surveillance applications. **Now upgraded with a frequency range up to 6.5GHz!**

Specifications:

- Internal NiCd battery pack
- Vibration motor and earphone for private detection
- 5 section bar graph to show relative RF signal strength
- Low power consumption
- 1MHZ – 6GHz frequency range
- Sensitivity adjustment
- 9V DC 300 mA power

Includes:

- AC wall charger
- Antenna
- Earphone
- User manual

Size and Weight:

- 3 3/4" x 2 3/4" x 1 1/4"
- 5 oz.

Model: DD2020



Analog and Digital RF Detector and Frequency Counter

Representing the next generation of radio frequency detection is our Smart RF Detector. This high quality unit features a 7 digit LCD, ultra sensitive synchronous detector and 16 section bar-graph to show RF signal strength.

Specifications:

- Detects digital and analog signals
- 16 section bar-graph to show RF signal strength
- 1 GHz range position for frequencies 30MHz to 0.8GHz
- 2.8GHz range position for frequencies 500MHz to 2.8GHz
- Sensitivity adjustment
- Hold switch to lock the display
- Low battery indicator
- Sensitivity of less than 5mV
- 15 dBm maximum input
- 9V DC 300mA rechargeable battery power

Includes:

- AC Wall Charger
- 2.4GHz antenna
- Telescopic antenna
- User Manual

Size and Weight:

- 3 3/4" x 2 3/4" x 1 1/4"
- 5 oz.

Model: SC1



detection devices

detection devices



Counter Measures Set

The CMS-11 Countermeasures Set is designed to perform the basic countermeasures checks. The CMS11 detects and locates bugs and transmitters. It is capable of detecting major electronic surveillance devices, phone taps, carry current and acoustic leakage.

Includes:

- TD-53 Advanced Transmitter Detector
- P-01 Wideband RF probe
- P-02 Infrared Probe
- P-03 Line driver
- P-04 Carrier current/video camera probe
- TT-07 Tap Trap
- Headphones
- Padded carry case
- Instruction manual
- Cords
- Adapters

Size:

- 16" x 12 1/2" x 6"

Model: CMS-11

Model: CMS-15 includes TT-46 (see page 40)



Microwave Detector

The MD-12 detects RF in the 900 MHz to 3.2 GHz range and displays the relative signal strength on the sensitive front panel meter. Even low power 2.4 GHz video links can be detected from 4 to 12 feet away.

Specifications:

- Detects RF in the 900 MHz to 3.2 GHz
- Special built-in filtering lets the unit ignore out-of- band signals

Includes:

- MD-12
- 9 volt battery
- Illustrated instructions

Size and Weight:

- 5 1/2" x 3 1/3" x 1 1/2"
- 7ozs.

Model: MD12



Extra Sensitive Transmitter Detector

The TD-15 is a very sensitive radio frequency (RF) detector. With its bandwidth of 1 MHz to 2500 MHz and its extra sensitive circuitry, it will pick up signals that other detectors may miss.

Specifications:

- Picks up hidden transmitters
- Check your telephone for RF bugs and taps
- 9 Volt battery powered

Includes:

- TD-15
- Telescoping 33" antenna
- Complete instructions
- 9 Volt battery

Size and Weight:

- 5 1/3" x 3 1/3" x 1/2"
- 7 ozs.

Model: TD-15

Advanced Transmitter Bug Detector

Use the TD-53 to perform a professional RF sweep of your premises, including your telephone system. The audible tone clicks faster and faster while the ten step solid-state meter indicates the signal strength. Optional accessories are available for this product.

Specifications:

- Professional RF sweep
- Detect and Verify modes differentiate a bug from a regular radio or TV transmission

Includes:

- TD-53
- Earphone Jack
- P-01 wideband active probe
- 9 volt battery
- Illustrated instruction manual

Optional accessories:

- P-02 INFRARED PROBE
- P-03 LINE DRIVER
- P-04 CARRIER CURRENT/VIDEO CAMERA PROBE

Size and Weight:

- 5 1/8" x 3/4" x 2"
- 9 ozs.

Model: TD-53



Mini Bug Detector

The Mini Bug Detector™ detects and pinpoints the location of wireless microphones and transmitters by using an LED display and an optional audio alarm. Secure your home, office or hotel room. Sensitivity adjustment eliminates false alarms. The Mini Bug Detector™ features wide range circuitry to detect concealed transmitters operating on frequencies from 50MHz to 3GHz.

Specifications:

- Sensitivity adjustment
- 50MHz to 3 GHz frequency range
- On/Off switch
- 10 LED bar display
- Audio Alarm
- Uses 9V battery (not included)

Size and Weight:

- 6 7/8" x 3 1/8" x 1"
- 3 oz.

Model: P7050S



Hard Wired Video Camera Detector

Finding those tiny hidden video cameras just got easier with our Hard Wired Video Camera Detector. This detector features a sensitive external antenna and 5-step solid state meter to zero in on those hidden hard wired video cameras. This device can detect any hard wired or wireless camera but does not detect transmitters or receivers.

Specifications:

- Picks up 15.75 KHz horizontal oscillator frequency radiated by video cameras
- Detection range up to 1 foot
- 5-Step LED meter
- Sensitivity control

Includes:

- Two 9V batteries
- Plug-in antenna
- Illustrated instructions

Size and Weight:

- 4 3/8" x 2 5/16" x 2"
- 6 oz.

Model: J1020



detection devices



Wireless Camera Detector

This Wireless Camera Detector is designed for user friendly operation in detecting all hidden cameras. The compact size makes it easy to conceal and carry to protect privacy and information.

Specifications:

- Detects wireless cameras up to 10 feet away
- 6V DC power uses 2 CR2032 lithium batteries, included
- 50MHz to 3.0GHz detecting frequency
- Sound and LED warnings

Size and Weight:

- 3 1/8" x 1 1/8" x 5/8"
- 2 oz.

Model: SH-005



RF Signal Detector

Our pager size RF Detector is designed for general use in detecting hidden cameras and wireless tapping devices on telephones. This RF Detector protects privacy within desired control areas. Three LEDs warn the presence of hidden cameras or wireless taps and an audible alarm will change from slow to rapid indicating the strength of detected signal.

Specifications:

- Detects wireless cameras up to 10 feet
- Detects cellular phones up to 20 feet
- 3 warning modes: 1 Sound & 3 LEDs; 2 Vibration & 3 LEDs; 3 Silent 3LEDs & earphone output
- 50MHz to 3.0GHz detecting frequency
- 3V DC power (uses two AAA, included)

Includes:

- Earpiece
- Pocket clip

Size and Weight:

- 3 1/4" x 2 1/8" x 1"
- 2 oz.

Model: SH-055



High Frequency RF Detector

Protect privacy and confidential information with our High Frequency RF Detector. This device features a detecting frequency up to 6Ghz and comes with an Analog/Digital detection switch. The digital feature detects Bluetooth, WLAN, Wi-Fi, cellular phone and Digital Spread Spectrum wireless products. Specially designed for easy and simple use with no complex installation or professional knowledge required.

Features:

- Digital / analog switch for signal selection
- 3 LED indicators to determine signal strength
- Audible alarm with tonal change indicates signal strength
- Vibration warning mode
- User can use earphones for convenient monitoring of audible alarm
- Sensitivity tuner

Specifications:

- 3V DC power (uses two AAA batteries, included)
- 50 Mhz to 6.0 Ghz
- Detects wireless cameras at 5.8 Ghz from approximately 2 feet and 2.4 Ghz from approximately 5 feet
- Detects analog cell phone signals from approximately 20 feet and digital signals from approximately 40 feet

Includes:

- Earpiece
- Pocket clip

Size and Weight:

- 3 1/2" x 2 1/4" x 1"
- 2 oz.

Model: SH-055DV

detection devices

Pen RF Detector

This wireless RF Detector pen can protect you from hidden cameras and wire taps. Push button design only when detection is needed will save valuable battery life and prevent interference of mobile phone signals. The flashing frequency will increase while approaching the RF signals. The tip can also be used for PDA's.

Specifications:

- Detectable distance up to 10 feet
- 500MHz to 3GHz detectable frequency
- Red LED flash
- PDA stylus for touch screen devices
- Functioning ball point pen
- Powered by 2 3V DC, LR44 button cell batteries, included

Size and Weight:

- 5 1/2" x 1/2 x 1/2"
- 1 oz.

Model: SK880



Countersurveillance Probe/Monitor

Detect and locate major types of electronic surveillance devices such as room, and body bugs, responds to RF transmitters, magnetic recorders, carrier current transmitters, infrared transmitters, acoustic leakage.

Features:

- Portable Sweep Kit - provides everything needed to perform a professional sweep; fits inside a standard briefcase.
- Multi-Functional Utility - Comes with probes to detect RF transmitters (audio and video), carrier current transmitters, and telephone bugs. Probes also available to detect for infrared transmitters, tape recorders, and acoustic leakage.
- Wideband Coverage - from 200Hz to over 3GHz with no holes or gaps.
- Monitor Mode - after a sweep, the alarm monitor (silent or audible alert) guards against new devices brought in or remote control activation of surveillance devices.
- Auxiliary Audio Input - allows user to listen to telephones or lines for "hotmikes," hookswitch by-pass and "infinity" bugs. Unknown wires and cables can be tested for wired microphones.

Specifications:

- Uses 8 batteries MN1500 AA Alkaline - Life 10-16 hrs
- Low Battery Indicator: approx. 10% remaining power
- Input: 95-130VAC 50-60Hz, or 200-275VAC 50-60Hz
- Output: 12VDC with 500mA NiCad Recharge Time: 8-10 hrs

Size and Weight:

- 9 1/8" x 6 1/8" x 1 3/4"
- 3 lb. 5 oz.

Model: CPM700



**Ask about our full line of
Premier Countersurveillance
Products.**

Advanced Counter Surveillance Probe/Monitor

Includes all probes

Model: CPM700Advanced



Wireless Microphone Set

When a sound transmission needs to be recorded, use our convenient plug and play Wireless Microphone Set with a recording device.

Transmitter Specifications:

- Transmitting frequency of F1: 171.105MHz-F2:171.905MHz
- FM band
- +/-2KHz maximum deviation
- DC 3V power
- Uses 2 AA batteries (not included)
- Power switch
- Channel selector switch
- LED-Power indicator

Receiver Specifications:

- Receiving frequency of F1: 171.105MHz-F2:171.905MHz
- Sensitivity of 10dB uV for 20dB S/N
- DC 3V power
- Uses 2 AA 3 batteries (not included)
- Power switch
- Channel selector switch
- LED-Power on

Size and Weight:

- Transmitter: 3 1/4" x 2 1/2" x 1", 1 oz.
- Receiver: 4" x 2 1/2" x 1", 3 oz.

Model: SWM-2



Surface Mic

Use our Surface Mic to listen for faint sounds through virtually any solid surface. The probe features a built-in contact element and has an internal automatic gain control that does not need constant adjustment. This microphone is designed to convert minute vibrations to voice band audio that can be received by headphones or secondary measurement equipment.

Specifications:

- Internal automatic gain control
- Built-in contact element
- Connects to any standard tape recorder
- Recorder output is compatible with audio spectrum analyzers
- Uses 9V battery (not included)

Includes:

- Earphones
- Carrying case
- Instruction manual

Size and Weight:

- 3 3/4" x 2 3/8" x 1"
- 3 oz.

Model: EAR-2000

Voice Changer II

The Voice Changer II features 8 different voice altering settings to choose from and has an easy one-step hookup to telephone handset.

Specifications:

- Built-in amplifier
- Compatible with most telephones including office systems
- Compact portable design
- 2 AA batteries (not included)

Size and Weight:

- 5 1/2" x 2 7/8" x 3/4"
- 3 oz.

Model: VC-II



Cell Phone Voice Changer

Make calls without being recognized using our Cell Phone Voice Changer. Get the newest voice changer technology in a unit that can also be used as a hands-free head set for cellular phones.

Specifications:

- Compatible with most US mobile phones
- 4 Voice change options
- 30-Hour battery life in voice changer mode
- 3V CR1616 battery (included)
- 62dB microphone

Size and Weight:

- 46 3/8" long x 1" x 1/2"
- 1 oz.

Model: VC2000



Professional Voice Changer

The VC Pro Telephone voice changer is portable and compatible on all telephones. Simply attach the acoustic coupler to your telephone's handset, adjust the 16 settings by turning the selector clockwise. It has 0 being your normal voice, the high settings will increase the pitch and low settings will decrease the pitch.


Specifications:

- Professional grade voice changer
- Lightweight and compact
- Zippered black case
- Powered by a 9V battery, not included

Size and Weight:

- 6" x 2 7/8" x 1 1/4"
- 5 oz.

Model: VC-PRO



Equipment is not to be used for the surreptitious interception of oral communications. All equipment is sold subject to public law, all State and Federal rules, regulations, etc.

listen and voice

listen and voice



Professional Voice Transformer

The user interface features four slider controls that allow for precise real-time adjustments. The convenient "hands free" headset/microphone allows you to concentrate on your conversation and not the operation of the unit. You can store the exact settings of a particular voice in one of eight memories so you can change voices instantly, even in the same conversation without the other party ever knowing. You can effectively portray eight different people instantly, even with gender changes!

Specifications:

- Vocal effector that independently controls basic pitch
- Memory Function, Preset memory and user voice
- High Quality Reverb
- Remote Jack

Includes:

- Professional Voice Changer
- AC adapter
- Owners manual
- Complete instructions
- Hands Free Head set

Size and Weight:

- 7" x 6" x 1 3/4"
- 4 lbs. 4 oz.

Model: VC-VT



Super Ear

The Super Ear is a complete personal sound amplifier system that can be used indoors or out. This unit can be used for nature and bird watching, sporting events, concerts, lectures and meetings.

Specifications:

- Sound boom that swivels 180 degrees
- Protective foam wind-screen
- Can be mounted directly to binoculars
- Attaches to pocket or belt
- Compatible with tape recording devices

Includes:

- Binocular mounting clip
- Velcro strips
- Stainless steel pocket clip

Size and Weight:

- 6 3/4" x 1 3/4" x 7/8"
- 10 oz.

Model: SE-4000



Bionic Ear and Booster Set

Amplify faint or distant sounds with our Bionic Ear and Booster Set. Listen by pointing the unit in the direction of sounds up to 100 yards away. The set comes with a 12" parabolic dish and has a recorder output jack to record the sounds picked up by the Bionic Ear.

Specifications:

- Frequency response of 100-10KHz
- Gain amp cut off at 90dB
- Amplifies sounds by 40 dB
- Independent volume controls on headset
- Output jack to record sounds
- Line in jack impedance of 10V maximum
- -46dB Mic sensitivity
- 40-Hour battery life
- 9V battery (not included)

Includes:

- Headphones

Size and Weight:

- 16" x 12" x 5"
- 1 lb. 7 oz.

Model: BIONIC EAR

Equipment is not to be used for the surreptitious interception of oral communications. All equipment is sold subject to public law, all State and Federal rules, regulations, etc.

Detect Ear

Listen to sounds up to 300 yards away with the pinpoint accuracy of the Detect Ear. The Detect Ear provides high performance with the most advanced audio circuitry and a 20" snap together parabolic dish.

Specifications:

- 6 Panel snap together parabolic dish
- Advanced electronic circuitry
- 3 Band equalizer
- Output jack for tape recording
- Communications input jack
- Can be mounted on tripod (not included)
- Uses 2 AAA batteries (not included)

Includes:

- Carrying case

Size and Weight:

- 9" wide, 20" diameter
- 4 lbs. 5 oz.

Model: DET EAR



Audio Jammer

Our Audio Jammer protects room conversations where sensitive information may be exchanged by generating a random masking sound which desensitizes any microphone that is near. This jammer is effective against any microphone based eavesdropping device including tape recorders, RF transmitters, hard-wired microphones and shotgun microphones.

Specifications:

- Protects up to 150 sq. ft. of space
- End-mounted control


Includes:

- 9V battery
- Illustrated instructions

Size and Weight:

- 4 1/2" x 2 1/2" x 1 1/2"
- 4 oz.

Model: J1000



Tie Clip Microphone

This Tie Clip Microphone is perfect for recording with a camcorder or voice recorder. The condenser microphone is sensitive enough to capture voices from across a room.

Specifications:

- 50 to 18,000 Hz frequency response
- Impedance of 1,000 OHMs at 1,000 Hz
- Sensitivity of -65dB(+/-3dB) at 1,000 Hz
- 1.35V Mercury battery power supply
- Omnidirectional polar pattern
- On/off switch
- Attached belt clip

Size and Weight:

- 2" x 1/2" x 1/2"
- 2 oz.

Model: TCM-1



Equipment is not to be used for the surreptitious interception of oral communications. All equipment is sold subject to public law, all State and Federal rules, regulations, etc.

listen and voice



Phone Manager Plus

Our Phone Manager Plus features an easy-to-use design that records data on up to 2000 incoming and outgoing telephone calls.

Specifications:

- Identifies the source of incoming calls by displaying the number of the call
- Identifies the source of outgoing calls by displaying the number of the call
- Small convenient size
- Monitors calls on any analog line
- Low power consumption
- Large memory capacity
- New call indicator light
- Requires 3 AA batteries (included)
- Telephone cord (included)

Size and Weight:

- 3 3/4" x 3 1/4" x 1 3/4"
- 2 oz.

Model: V1170



COMSEC III Wire Tap Detector

Our COMSEC III is the only patented technology that works with the telephone company exchange. Once the COMSEC III is attached to your telephone line it continuously detects the slightest signal from your phone to the telephone company. The COMSEC III scans the line before, during and after every telephone call, when the electrical signature pattern changes the LED will flash.

Specifications:

- FCC approved
- Single or 2-line use
- Continuous monitoring on phone line
- L.E.D. Flashing signal
- Hard shell black casing
- Telephone line powered, no batteries needed

Includes:

- Wire tap detector with LED
- Phone line cord to attach detector to phone
- Complete instructions

Size and Weight:

- 4 1/2" x 1 7/8" x 1"
- 4 oz.

Model: C3I-II



Safe Line Telephone Analyzer & Tap Deactivator

The SL-100 offers six levels of protection against eavesdropping attempts, more than any other device of its kind. Whether you are on or off the phone, line voltages are constantly monitored and displayed, alerting you to almost any type of bugging device on your line. In addition, taps are neutralized or deactivated for the highest level of privacy protection. Even voice activated systems are rendered useless by the SL-100 Anti-VOX System.

Specifications:

- Digital Display to reflect line voltage changes
- Automatically deactivates most wire-tapping devices
- Combats crystal line transmitters by shifting their frequencies
- Tricks voltage sensing recorders
- Anti-VOX System fills voice activated recording systems with simulated noise
- Instant alert to extension eavesdroppers
- Fully line powered; requires no batteries or AC adapter
- Easy installation
- Comes in a hard shell black case

Size and Weight:

- 4 7/8" x 3 5/8" x 1 1/8"
- 4 oz.

Model: SL-100

Telephone Tap Nullifier

Our Telephone Tap Nullifier has the greatest ability to actually DEFEAT telephone taps! Also the Telephone Tap Nullifier utilizes technology that jams any listening devices which use the telephone line to listen to room conversations. This telephone tap nullifier is the ideal device to protect privacy and maintain the security of communication. For use on any telephone or Fax line anywhere.

Specifications:

- FCC Approved
- Made in USA
- "Normal" and "Secure" calling modes
- Monitors exact line voltage in on-hook or off-hook condition
- Stops automatic recorder activators
- Alerts to extension pick-ups and lineman tests
- Deactivates automatic parallel line transmitters
- Infinity transmitter and line tampering alerts
- Fine tuning capability
- Sturdy Metal Case

Includes:

- AC adapter 12V with 500mA
- Telephone cord

Size and Weight:

- 5 3/8" x 5 3/8" x 1 1/2"
- 1 lb.

Model: TN-80



Tele-Data Guard

This new Tele-Data Guard keeps calls private. The Tele-Data Guard alerts the user if someone has picked up an extension, and when the Tele-Data Guard is installed on all extensions, the extension you pick up automatically disconnects the others.

Specifications:

- Green LED alert light
- Signals whether line is in use
- Protects faxes or modems from interruption
- No batteries required

Size and Weight:

- 2 1/2" x 1 7/8" x 1 1/4"
- 1 oz.

Model: TDG028



Wire Tap Detector

This Wire Tap Detector is an invaluable asset in protecting privacy. With the Wire Tap Detector, phone lines can be checked for on-premises series, parallel bugs, and wiretaps. Also, this detector can be used to check telephones for the most common types of hook switch bypasses, which are used to monitor room communication.

Specifications:

- Detects series devices with a resistance of 61 ohms or more
- Detects parallel devices with a resistance of 65 megohms or less

Includes:

- Alligator clip line tester
- Telephone line connector
- Battery
- Illustrated instruction manual

Size and Weight:

- 5 3/8" x 2 3/4" x 1 1/8"
- 5 oz.

Model: TT07



phone security



Advanced Wire Tap Detector

This TT-46 detector is the only one that will let you check both single and two line phones quickly and easily. It is capable of checking your phone lines for on premises series and parallel bugs and wire taps.

Specifications:

- Detects series devices with a resistance of 10 ohms or more
- Detects parallel devices with a resistance of 65 megohms or less
- Checks single and two line phone systems for series and parallel taps
- 9 Volt battery powered

Includes:

- Advanced wire tap detector
- 9 Volt battery
- Cords
- Plugs
- Adapters
- Illustrated instruction manual

Size and Weight:

- 7 1/4" x 6 x 2 1/4" (closed)
- 9 ozs.

Model: TT-46

Ultraviolet Spy Light Set

Our Ultraviolet Spy Light Set is a two-part system that consists of an ultraviolet (UV) ink pen and sub mini UV light. This system permits the user to write phone numbers, secret messages and mark cash that is unseen by others. The pen can also be used to mark skin with UV ink which will stay on the skin for up to 24 hours. The UV light can be used as a money detector.

Specifications:

- Sub-Compact design
- Uses 2 AA alkaline batteries (not included)

Model UVSL

- 3" x 4", 1 oz.

Ultraviolet Pen Only

Model UVSL-1

- 6", 1 oz.

Pocket Money Detector

Model: AB308

- 2 1/8" x 1 3/4" x 1 1/4", 1 oz.



Check Mate Semen Detection Kit

Put an end to suspicions of infidelity and doubt with this Check Mate Semen Detection Kit. It's the hottest thing on the market today for cheating spouses. The test will detect semen on undergarments or clothing for up to 2 years if they haven't been washed. Get results in less than 5 minutes.

Specifications:

- Detects invisible semen stains
- Accurate results in 5 minutes or less
- Easy-to-use
- 10 Tests in kit

Size and Weight:

- Boxed size: 5 5/8" x 4" x 1 1/2"
- 1 oz.

Model: KT100



Spy Sunglasses

Our Spy Sunglasses are designed for tracking and anti-tracking applications. Instead of following a suspect, the wearer of these sunglasses can keep an eye on things by walking ahead of the target.

Specifications:

- Works like a car rearview mirror
- 100% Protection against ultraviolet rays

Includes:

- Carrying case

Size and Weight:

- 5 1/2" x 5 1/4" x 3/4"
- 1 oz.

Model: SG001



personal protection

personal protection



Hand-Held Personal Metal Detector

This Hand-Held Metal Detector is ideal for any location where security checks are warranted. The unit is sensitive enough to detect metal objects the size of a quarter.

Specifications:

- High-pitched alert
- Can operate on rechargeable nickel-cadmium battery (not included)
- Battery can be recharged in body scanner
- Red LED indicator light
- De-Sense button

Includes:

- Custom carrying case
- 9V battery

Size and Weight:

- 16 1/2" x 3" x 9/16"
- 1 lb. 1 oz.

Model: D1250



Mono Scope

Get a closer look on the next covert mission with our Mono Scope. This compact monocular can go almost anywhere.

Specifications:

- 8 X 21 Focus

Includes:

- Carrying case and lens cleaning pad

Size and Weight:

- 3" x 1 1/2" x 1 1/2"
- 2 oz.

Model: SG-409



Pen Scope

Drop this Pen Scope into a shirt pocket and be ready to get a better view of the action.

Specifications:

- 6X10 Focus

Includes:

- Carrying case

Size and Weight:

- 5 5/8" x 5/8" x 5/8"
- 1 oz.

Model: SG-401

CyberEye Eco Alarm and Detector

Protect family and property with our CyberEye Eco alarm and detector. The CyberEye Eco monitors property 24 hours a day and will call 6 designated numbers as soon as it detects an intrusion or the early stages of a fire. The system can be connected directly to the telephone or to the telephone line.

Specifications:

- Up to 26ft and 90 degree sensor intrusion
- Recorded messages for intrusion and fire
- Replay voice message of personal data
- 6 Phone numbers (5 telephones, 1 pager)
- 15 key keypad
- 12 second message recording
- Uses 3 AA alkaline batteries
- 6 month to 2 year battery life

Includes:

- CyberEye Eco Alarm
- 3 AA batteries
- Telephone cord
- Instructions

Size and Weight:

- 4 1/4" x 3" x 2 1/2"
- 4 oz.

Model: CE100



TeleSpy, Portable Personal Home Alarm

The TeleSpy is an economical intrusion notification systems built into a working telephone. With the internal hidden motion detector and microphone this plain telephone is now your DIY customers easy way to install a home alarm, simply enter the number you would like the TeleSpy to call in the event of an intrusion and turn the power switch on. When the motion activated sensor is triggered the TeleSpy will call the number and the internal microphone will allow the call recipient to hear who is in their home or office.

Specifications:

Phone:

- Stores 1 number
- "Slim Line" type standard telephone
- Plugs into standard wall phone jack
- Built in motion sensor and microphone
- 30 seconds of listening after 30 seconds the TeleSpy call disconnects and re-arms

Motion Sensor:

- Passive infrared technology
- 45 degree wedge beyond the sensor origin

Microphone:

- Amplified condenser microphone

Includes:

- Telespy
- Coil phone cord
- Phone Cord
- AC adapter
- Instructions

Size and Weight:

- 7 3/4" x 4"
- 1 lb. 5 oz.

Model: SN1



personal protection